

GFRG*/GFRC* SEAMLESS™ Tapeable Access Panels



Innovative Design for both Ceiling and Wall applications, blends seamlessly into surrounding drywall for a monolithic appearance.

Consists of a surround frame and either a drop-in-door or hinged door.



POP-OUT

Square or Radius Corners



ROUND



HINGED

Square or Radius Corners

- *Glass Fiber Reinforced Gypsum
- *Glass Fiber Reinforced Cement
- ✓ Available with Neoprene Gasket
- ✓ ASTM E84-80 Class A Non-Rated
- ✓ 704 Standard Sizes
- ✓ Custom Sizes Available

Custom Shapes and Sizes

Neoprene Gasket available on all models and sizes



Louvres available on all sizes



POP-OUT
Square Corner




POP-OUT
Radius Corner

Over 25 years experience manufacturing gypsum products for the construction and design industries.



State-of-the-art unique features make **Castle GFRG Access Panels** the ONLY Seamless solution.



tapered edges
for seamless blending with surrounding drywall

Only by **CASTLE**
Access Panels & Forms

We create seamless solutions



Seamless™ Access Panels by Castle are manufactured direct manufactured from **GFRG & 70% post-consumer recycled glass**, for a unique **GREEN** design-matrix designed to blend seamlessly into your ceiling.

They consist of a surround frame and a drop-in door. Available in over **Seven Hundred** standard residential or commercial sizes, **Castle** panels are perfect for jobs where access is required at regular intervals.


Lightweight and easily textured, the panels can be used in both new and retrofit construction across unlimited applications.

Their smart design helps contractors to work smarter, faster and efficiently, the Seamless™ panels feature a tapered edge for tape joints and won't shrink, crack or sag. Seamless™ Access Panels provide an aesthetically pleasing solution for a more attractive interior.

PRODUCT FEATURES

- Tapered edge for tape joint
- Lightweight
- No shrinking, cracking, sagging or rusting
- Concealed hinge
- Moisture resistant
- Easily textured
- Single trade installation
- Blends seamlessly into surrounding drywall
- Reduce labor cost
- Zero mold & fungus growth

HINGED Radius or Square Corner



POP-OUT Radius or Square Corner



GFRG/GFRC

LIGHTWEIGHT SEAMLESS™ ACCESS PANELS



1. Frame the opening




2. Mount Seamless™ surround with drywall with screws



3. Mounted frame



4. Install drywall and place access panel in opening




5. Tape and apply drywall compound




6. Apply desired finish


General Drawing Pop-Out or Hinged



Pop-Out Specification



Hinged Specification



Designed for both wall and ceiling applications, the hinged **Seamless™** Panel by **Castle** can be used where a locked door is needed but style must be still maintained.

The hinged panel is great for use in ceiling applications where there is no space to push a door up, and in wall applications when access to plumbing and electrical are needed.

- The Seamless™ Hinged Access and Pop-Out panel consist of a frame door with concealed hinges and a cam or key lock
- Round Pop-Out Panel available in 16 sizes
- **Neoprene Gasket** available for all panels upon request
- These panels require extra reinforcement and a crate/pallet to ship
- Ships directly from the manufacturing plant in Concord, ON, Canada

SEAMLESS PANELS TECHNICAL DATA

Shell Thickness	3/16"~ 3/8"
Fastener Test Pull Out (wood stud)	525 lb avg.
Fastener Test Pull Out (metal stud)	215 lb avg.
Fastener Push Through Test	350 lb avg.
Fuel Contribution (ASTM E84-80)	0
Flame Spread (ASTM E84-80)	0
Smoke Index (ASTM E84-80)	0
Combustion (ASTM E84-80)	Non-combustible
Class A Non-Rated	—



GREEN PRODUCTS
CONTAINS 70% POST-CONSUMER
LIGHTWEIGHT RECYCLED GLASS

GFRG and GFRC Seamless™ Access Panels Directory List

For any questions, please call us at 905-738-8089
email: sales@castleaccesspanels.com



POP-OUT - RADIUS CORNER (RC-58xxxx)

POP-OUT - SQUARE CORNER (SQ-58xxxx)

Product Number	Pop-Out Size	Rough Opening	Weight (lbs)	POP-OUT	Product Number	Pop-Out Size	Rough Opening	Weight (lbs)
RC or SQ-580006	6" x 6"	12" x 12"	3.9		RC or SQ-581418	14" x 18"	20" x 24"	10.6
RC or SQ-580008	8" x 8"	14" x 14"	5.0		RC or SQ-581424	14" x 24"	20" x 30"	12.9
RC or SQ-580009	9" x 9"	15" x 15"	5.6		RC or SQ-581430	14" x 30"	20" x 36"	15.2
RC or SQ-580010	10" x 10"	16" x 16"	6.3		RC or SQ-581436	14" x 36"	20" x 42"	17.5
RC or SQ-580012	12" x 12"	18" x 18"	7.6		RC or SQ-581448	14" x 48"	20" x 54"	22.1
RC or SQ-580014	14" x 14"	20" x 20"	9.1		RC or SQ-581618	16" x 18"	22" x 24"	11.5
RC or SQ-580016	16" x 16"	22" x 22"	10.7		RC or SQ-581624	16" x 24"	22" x 30"	14.0
RC or SQ-580018	18" x 18"	24" x 24"	12.4		RC or SQ-581630	16" x 30"	22" x 36"	16.4
RC or SQ-580020	20" x 20"	26" x 26"	14.2		RC or SQ-581636	16" x 36"	22" x 42"	18.9
RC or SQ-580024	24" x 24"	30" x 30"	18.2		RC or SQ-581648	16" x 48"	22" x 54"	23.8
RC or SQ-580030	30" x 30"	36" x 36"	24.9		RC or SQ-581820	18" x 20"	24" x 26"	13.3
RC or SQ-580036	36" x 36"	42" x 42"	32.7		RC or SQ-581824	18" x 24"	24" x 30"	15.0
RC or SQ-580042	42" x 42"	48" x 48"	41.5		RC or SQ-581830	18" x 30"	24" x 36"	17.6
RC or SQ-580048	48" x 48"	54" x 54"	51.3		RC or SQ-581832	18" x 32"	24" x 38"	18.5
RC or SQ-580608	6" x 8"	12" x 14"	4.4		RC or SQ-581836	18" x 36"	24" x 42"	20.3
RC or SQ-580612	6" x 12"	12" x 18"	5.5		RC or SQ-581848	18" x 48"	24" x 54"	25.5
RC or SQ-580618	6" x 18"	12" x 24"	7.1		RC or SQ-581860	18" x 60"	26" x 68"	30.8
RC or SQ-580624	6" x 24"	12" x 30"	8.8		RC or SQ-581872	18" x 72"	26" x 80"	36.0
RC or SQ-580812	8" x 12"	14" x 18"	6.2		RC or SQ-582024	20" x 24"	26" x 30"	16.1
RC or SQ-580818	8" x 18"	14" x 24"	8.0		RC or SQ-582030	20" x 30"	26" x 36"	18.9
RC or SQ-580824	8" x 24"	14" x 30"	9.8		RC or SQ-582032	20" x 32"	26" x 38"	19.8
RC or SQ-580930	9" x 30"	15" x 36"	12.2		RC or SQ-582036	20" x 36"	26" x 42"	21.6
RC or SQ-581016	10" x 16"	16" x 22"	8.2		RC or SQ-582040	20" x 40"	26" x 46"	23.5
RC or SQ-581018	10" x 18"	16" x 24"	8.9		RC or SQ-582042	20" x 42"	26" x 48"	24.5
RC or SQ-581024	10" x 24"	16" x 30"	10.8		RC or SQ-582048	20" x 48"	26" x 54"	27.2
RC or SQ-581036	10" x 36"	16" x 42"	14.8		RC or SQ-582224	22" x 24"	28" x 30"	17.1
RC or SQ-581216	12" x 16"	18" x 22"	9.0		RC or SQ-582230	22" x 30"	28" x 36"	20.1
RC or SQ-581218	12" x 18"	18" x 24"	9.8		RC or SQ-582232	22" x 32"	28" x 38"	21.0
RC or SQ-581224	12" x 24"	18" x 30"	11.9		RC or SQ-582236	22" x 36"	28" x 42"	23.0
RC or SQ-581230	12" x 30"	18" x 36"	14.0		RC or SQ-582240	22" x 40"	28" x 46"	25.0
RC or SQ-581236	12" x 36"	18" x 42"	16.1		RC or SQ-582430	24" x 30"	30" x 36"	21.3
RC or SQ-581248	12" x 48"	18" x 54"	20.4		RC or SQ-582436	24" x 36"	30" x 42"	24.4
RC or SQ-581250	12" x 50"	20" x 58"	21.1		RC or SQ-582440	24" x 40"	30" x 46"	26.5

Shop drawings available on website

- Volume discounts available on all sizes
- Neoprene Gasket available upon request on all models
- Custom sizes and shapes available. Please inquire.

GFRG and GFRC Seamless™ Access Panels Directory List

For any questions, please call us at 905-738-8089
email: sales@castleaccesspanels.com



POP-OUT - RADIUS CORNER (RC-58xxxx)

POP-OUT - SQUARE CORNER (SQ-58xxxx)

Product Number	Pop-Out Size	Rough Opening	Weight (lbs)	POP-OUT	Product Number	Pop-Out Size	Rough Opening	Weight (lbs)
RC or SQ-582442	24" x 42"	30" x 48"	27.5		RC or SQ-583640	36" x 40"	42" x 46"	35.5
RC or SQ-582444	24" x 44"	30" x 50"	28.6		RC or SQ-583642	36" x 42"	42" x 48"	36.8
RC or SQ-582448	24" x 48"	30" x 54"	30.7		RC or SQ-583644	36" x 44"	42" x 50"	38.2
RC or SQ-582460	24" x 60"	32" x 68"	37.0		RC or SQ-583648	36" x 48"	42" x 54"	41.0
RC or SQ-582462	24" x 62"	32" x 70"	38.0		RC or SQ-583660	36" x 60"	44" x 68"	49.3
RC or SQ-582466	24" x 66"	32" x 74"	40.0		RC or SQ-583672	36" x 72"	44" x 80"	57.5
RC or SQ-582472	24" x 72"	32" x 80"	43.2		RC or SQ-583846	38" x 46"	44" x 52"	41.2
RC or SQ-582478	24" x 78"	32" x 86"	46.3		RC or SQ-583848	38" x 48"	44" x 54"	42.7
RC or SQ-582484	24" x 84"	32" x 92"	49.5		RC or SQ-583860	38" x 60"	46" x 68"	51.3
RC or SQ-583032	30" x 32"	36" x 38"	26.1		RC or SQ-584042	40" x 42"	46" x 48"	39.9
RC or SQ-583034	30" x 34"	36" x 40"	27.3		RC or SQ-584044	40" x 44"	46" x 50"	41.4
RC or SQ-583036	30" x 36"	36" x 42"	28.5		RC or SQ-584048	40" x 48"	46" x 54"	44.4
RC or SQ-583040	30" x 40"	36" x 46"	31.0		RC or SQ-584060	40" x 60"	48" x 68"	53.4
RC or SQ-583042	30" x 42"	36" x 48"	32.2		RC or SQ-584078	40" x 78"	48" x 86"	66.8
RC or SQ-583046	30" x 46"	36" x 52"	34.6		RC or SQ-584084	40" x 84"	48" x 92"	71.3
RC or SQ-583048	30" x 48"	36" x 54"	35.8		RC or SQ-584252	42" x 52"	50" x 60"	49.2
RC or SQ-583060	30" x 60"	38" x 68"	43.1		RC or SQ-584260	42" x 60"	50" x 68"	55.4
RC or SQ-583072	30" x 72"	38" x 80"	50.4		RC or SQ-584448	44" x 48"	50" x 54"	47.8
RC or SQ-583078	30" x 78"	38" x 86"	54.0		RC or SQ-584460	44" x 60"	52" x 68"	57.5
RC or SQ-583084	30" x 84"	38" x 92"	57.7		RC or SQ-584472	44" x 72"	52" x 80"	67.1
RC or SQ-583240	32" x 40"	38" x 46"	32.5		RC or SQ-584478	44" x 78"	52" x 86"	71.9
RC or SQ-583242	32" x 42"	38" x 48"	33.7		RC or SQ-584660	46" x 60"	54" x 68"	59.5
RC or SQ-583244	32" x 44"	38" x 50"	35.0		RC or SQ-584672	46" x 72"	54" x 80"	69.5
RC or SQ-583248	32" x 48"	38" x 54"	37.5		RC or SQ-584678	46" x 78"	54" x 86"	74.5
RC or SQ-583260	32" x 60"	40" x 68"	45.2		RC or SQ-584852	48" x 52"	56" x 60"	54.7
RC or SQ-583440	34" x 40"	40" x 46"	34.0		RC or SQ-584854	48" x 54"	56" x 62"	56.4
RC or SQ-583442	34" x 42"	40" x 48"	35.3		RC or SQ-584860	48" x 60"	56" x 68"	61.6
RC or SQ-583444	34" x 44"	40" x 50"	36.6		RC or SQ-584866	48" x 66"	56" x 74"	66.7
RC or SQ-583446	34" x 46"	40" x 52"	37.9		RC or SQ-584872	48" x 72"	56" x 80"	71.9
RC or SQ-583448	34" x 48"	40" x 54"	39.3		RC or SQ-584884	48" x 84"	56" x 92"	82.2
RC or SQ-583460	34" x 60"	42" x 68"	47.2					
RC or SQ-583476	34" x 76"	42" x 84"	55.8					
RC or SQ-583638	36" x 38"	42" x 44"	34.1					

Shop drawings available on website

- Volume discounts available on all sizes
- Neoprene Gasket available upon request on all models
- Custom sizes and shapes available. Please inquire.

GFRG and GFRC Seamless™ Access Panels Directory List

For any questions, please call us at 905-738-8089
email: sales@castleaccesspanels.com



HINGED - RADIUS CORNER (HG-RC-58xxxx)
HINGED - SQUARE CORNER (HG-SQ-58xxxx)

Product Number	Hinged Size	Rough Opening	H*	CL*	Weight (lbs)	HINGED with either ■ Slotted Cam Latch ■ Keyed Cam Latch	Product Number	Hinged Size	Rough Opening	H*	CL*	Weight (lbs)
HG-(RC or SQ)-580006	6" x 6"	12" x 12"	2	1	4.4		HG-(RC or SQ)-581248	12" x 48"	18" x 54"	5	2	24.7
HG-(RC or SQ)-580008	8" x 8"	14" x 14"	2	1	5.7		HG-(RC or SQ)-581250	12" x 50"	20" x 58"	5	3	25.6
HG-(RC or SQ)-580009	9" x 9"	15" x 15"	2	1	6.5		HG-(RC or SQ)-581418	14" x 18"	20" x 24"	2	1	12.3
HG-(RC or SQ)-580010	10" x 10"	16" x 16"	2	1	7.2		HG-(RC or SQ)-581424	14" x 24"	20" x 30"	3	1	15.1
HG-(RC or SQ)-580012	12" x 12"	18" x 18"	2	1	8.7		HG-(RC or SQ)-581430	14" x 30"	20" x 36"	4	2	17.9
HG-(RC or SQ)-580014	14" x 14"	20" x 20"	2	1	10.4		HG-(RC or SQ)-581436	14" x 36"	20" x 42"	4	2	20.8
HG-(RC or SQ)-580016	16" x 16"	22" x 22"	2	1	12.1		HG-(RC or SQ)-581448	14" x 48"	20" x 54"	5	2	26.4
HG-(RC or SQ)-580018	18" x 18"	24" x 24"	2	1	14.0		HG-(RC or SQ)-581618	16" x 18"	22" x 24"	2	1	13.1
HG-(RC or SQ)-580020	20" x 20"	26" x 26"	3	1	16.0		HG-(RC or SQ)-581624	16" x 24"	22" x 30"	3	1	16.1
HG-(RC or SQ)-580024	24" x 24"	30" x 30"	3	1	20.3		HG-(RC or SQ)-581630	16" x 30"	22" x 36"	4	2	19.1
HG-(RC or SQ)-580030	30" x 30"	36" x 36"	4	4	27.6		HG-(RC or SQ)-581636	16" x 36"	22" x 42"	4	2	22.1
HG-(RC or SQ)-580036	36" x 36"	42" x 42"	4	4	35.9		HG-(RC or SQ)-581648	16" x 48"	22" x 54"	5	2	28.1
HG-(RC or SQ)-580042	42" x 42"	48" x 48"	4	4	45.3		HG-(RC or SQ)-581820	18" x 20"	24" x 26"	2	1	15.1
HG-(RC or SQ)-580048	48" x 48"	54" x 54"	5	4	55.9		HG-(RC or SQ)-581824	18" x 24"	24" x 30"	3	1	17.2
HG-(RC or SQ)-580608	6" x 8"	12" x 14"	2	1	5.2		HG-(RC or SQ)-581830	18" x 30"	24" x 36"	4	2	20.3
HG-(RC or SQ)-580612	6" x 12"	12" x 18"	2	1	6.6		HG-(RC or SQ)-581832	18" x 32"	24" x 38"	4	2	21.4
HG-(RC or SQ)-580618	6" x 18"	12" x 24"	2	1	8.8		HG-(RC or SQ)-581836	18" x 36"	24" x 42"	4	2	23.5
HG-(RC or SQ)-580624	6" x 24"	12" x 30"	3	1	10.9		HG-(RC or SQ)-581848	18" x 48"	24" x 54"	5	2	29.9
HG-(RC or SQ)-580812	8" x 12"	14" x 18"	2	1	7.3		HG-(RC or SQ)-581860	18" x 60"	26" x 68"	5	3	36.2
HG-(RC or SQ)-580818	8" x 18"	14" x 24"	2	1	9.6		HG-(RC or SQ)-581872	18" x 72"	26" x 80"	6	3	42.5
HG-(RC or SQ)-580824	8" x 24"	14" x 30"	3	1	12.0		HG-(RC or SQ)-582024	20" x 24"	26" x 30"	3	1	18.2
HG-(RC or SQ)-580930	9" x 30"	15" x 36"	4	2	14.9		HG-(RC or SQ)-582030	20" x 30"	26" x 36"	4	2	21.6
HG-(RC or SQ)-581016	10" x 16"	16" x 22"	2	1	9.7		HG-(RC or SQ)-582032	20" x 32"	26" x 38"	4	2	22.7
HG-(RC or SQ)-581018	10" x 18"	16" x 24"	2	1	10.5		HG-(RC or SQ)-582036	20" x 36"	26" x 42"	4	2	24.9
HG-(RC or SQ)-581024	10" x 24"	16" x 30"	3	1	13.0		HG-(RC or SQ)-582040	20" x 40"	26" x 46"	4	2	27.1
HG-(RC or SQ)-581036	10" x 36"	16" x 42"	4	2	18.0		HG-(RC or SQ)-582042	20" x 42"	26" x 48"	4	2	28.2
HG-(RC or SQ)-581216	12" x 16"	18" x 22"	2	1	10.5		HG-(RC or SQ)-582048	20" x 48"	26" x 54"	5	2	31.6
HG-(RC or SQ)-581218	12" x 18"	18" x 24"	2	1	11.4		HG-(RC or SQ)-582224	22" x 24"	28" x 30"	3	1	19.3
HG-(RC or SQ)-581224	12" x 24"	18" x 30"	3	1	14.00		HG-(RC or SQ)-582230	22" x 30"	28" x 36"	4	2	22.8
HG-(RC or SQ)-581230	12" x 30"	18" x 36"	4	2	16.7		HG-(RC or SQ)-582232	22" x 32"	28" x 38"	4	2	23.9
HG-(RC or SQ)-581236	12" x 36"	18" x 42"	4	2	19.4		HG-(RC or SQ)-582236	22" x 36"	28" x 42"	4	2	26.3

*H (Hinge Qty Per Panel)

*CL (Cam Latch Qty Per Panel)

Shop drawings available on website

· Volume discounts available on all sizes

· Neoprene Gasket available upon request on all models

· Custom sizes and shapes available. Please inquire.

GFRG and GFRC Seamless™ Access Panels Directory List

For any questions, please call us at 905-738-8089
email: sales@castleaccesspanels.com



HINGED - RADIUS CORNER (HG-RC-58xxxx)

HINGED - SQUARE CORNER (HG-SQ-58xxxx)

Product Number	Hinged Size	Rough Opening	H*	CL*	Weight (lbs)
HG-(RC or SQ)-582240	22" x 40"	28" x 46"	4	2	28.6
HG-(RC or SQ)-582430	24" x 30"	30" x 36"	4	2	24.0
HG-(RC or SQ)-582436	24" x 36"	30" x 42"	4	2	27.7
HG-(RC or SQ)-582440	24" x 40"	30" x 46"	4	2	30.1
HG-(RC or SQ)-582442	24" x 42"	30" x 48"	4	2	31.3
HG-(RC or SQ)-582444	24" x 44"	30" x 50"	4	2	32.6
HG-(RC or SQ)-582448	24" x 48"	30" x 54"	5	2	35.0
HG-(RC or SQ)-582460	24" x 60"	32" x 68"	5	3	42.3
HG-(RC or SQ)-582462	24" x 62"	32" x 70"	6	3	43.6
HG-(RC or SQ)-582466	24" x 66"	32" x 74"	6	3	46.0
HG-(RC or SQ)-582472	24" x 72"	32" x 80"	6	3	49.7
HG-(RC or SQ)-582478	24" x 78"	32" x 86"	6	3	53.4
HG-(RC or SQ)-582484	24" x 84"	32" x 92"	7	3	60.0
HG-(RC or SQ)-583032	30" x 32"	36" x 38"	4	4	29.0
HG-(RC or SQ)-583034	30" x 34"	36" x 40"	4	4	30.4
HG-(RC or SQ)-583036	30" x 36"	36" x 42"	4	4	31.8
HG-(RC or SQ)-583040	30" x 40"	36" x 46"	4	4	34.6
HG-(RC or SQ)-583042	30" x 42"	36" x 48"	4	4	36.0
HG-(RC or SQ)-583046	30" x 46"	36" x 52"	4	4	38.8
HG-(RC or SQ)-583048	30" x 48"	36" x 54"	5	4	40.1
HG-(RC or SQ)-583060	30" x 60"	38" x 68"	5	5	48.5
HG-(RC or SQ)-583072	30" x 72"	38" x 80"	6	5	56.9
HG-(RC or SQ)-583078	30" x 78"	38" x 86"	6	5	61.0
HG-(RC or SQ)-583084	30" x 84"	38" x 92"	7	5	65.2
HG-(RC or SQ)-583240	32" x 40"	38" x 46"	4	4	36.1
HG-(RC or SQ)-583242	32" x 42"	38" x 48"	4	4	37.6
HG-(RC or SQ)-583244	32" x 44"	38" x 50"	4	4	39.0
HG-(RC or SQ)-583248	32" x 48"	38" x 54"	5	4	41.9
HG-(RC or SQ)-583260	32" x 60"	40" x 68"	5	5	50.6
HG-(RC or SQ)-583440	34" x 40"	40" x 46"	4	4	37.6

■ Slotted Cam Latch
■ Keyed Cam Latch

CONCEALED HINGED with either

Product Number	Hinged Size	Rough Opening	H*	CL*	Weight (lbs)
HG-(RC or SQ)-583442	34" x 42"	40" x 48"	4	4	39.1
HG-(RC or SQ)-583444	34" x 44"	40" x 50"	4	4	40.6
HG-(RC or SQ)-583446	34" x 46"	40" x 52"	4	4	42.1
HG-(RC or SQ)-583448	34" x 48"	40" x 54"	5	4	43.6
HG-(RC or SQ)-583460	34" x 60"	42" x 68"	5	5	52.6
HG-(RC or SQ)-583476	34" x 76"	42" x 84"	6	5	64.7
HG-(RC or SQ)-583638	36" x 38"	42" x 44"	4	4	37.5
HG-(RC or SQ)-583640	36" x 40"	42" x 46"	4	4	39.1
HG-(RC or SQ)-583642	36" x 42"	42" x 48"	4	4	40.6
HG-(RC or SQ)-583644	36" x 44"	42" x 50"	4	4	42.2
HG-(RC or SQ)-583648	36" x 48"	42" x 54"	5	4	45.3
HG-(RC or SQ)-583660	36" x 60"	44" x 68"	5	5	54.7
HG-(RC or SQ)-583672	36" x 72"	44" x 80"	6	5	64.0
HG-(RC or SQ)-583846	38" x 46"	44" x 52"	4	4	45.4
HG-(RC or SQ)-583848	38" x 48"	44" x 54"	5	4	47.0
HG-(RC or SQ)-583860	38" x 60"	46" x 68"	5	5	56.7
HG-(RC or SQ)-584042	40" x 42"	46" x 48"	4	4	43.7
HG-(RC or SQ)-584044	40" x 44"	46" x 50"	4	4	45.4
HG-(RC or SQ)-584048	40" x 48"	46" x 54"	5	4	48.7
HG-(RC or SQ)-584060	40" x 60"	48" x 68"	5	5	58.8
HG-(RC or SQ)-584078	40" x 78"	48" x 86"	6	5	73.8
HG-(RC or SQ)-584084	40" x 84"	48" x 92"	7	5	78.8
HG-(RC or SQ)-584252	42" x 52"	48" x 58"	5	5	53.9
HG-(RC or SQ)-584260	42" x 60"	50" x 68"	5	5	60.8
HG-(RC or SQ)-584448	44" x 48"	50" x 54"	5	4	52.2
HG-(RC or SQ)-584460	44" x 60"	52" x 68"	5	5	62.1
HG-(RC or SQ)-584472	44" x 72"	52" x 80"	6	5	73.6
HG-(RC or SQ)-584478	44" x 78"	52" x 86"	6	5	78.9

*H (Hinge Qty Per Panel)

*CL (Cam Latch Qty Per Panel)

Shop drawings available on website

• Volume discounts available on all sizes

• Neoprene Gasket available upon request on all models

• Custom sizes and shapes available. Please inquire.

GFRG and GFRC Seamless™ Access Panels Directory List

For any questions, please call us at 905-738-8089
email: sales@castleaccesspanels.com



HINGED - RADIUS CORNER (HG-RC-58xxxx-TL)

HINGED - SQUARE CORNER (HG-SQ-58xxxx-TL)

Product Number	Hinged Size	Rough Opening	H*	Weight (lbs)
HG-(RC or SQ)-580006-TL	6" x 6"	12" x 12"	2	4.4
HG-(RC or SQ)-580008-TL	8" x 8"	14" x 14"	2	5.8
HG-(RC or SQ)-580009-TL	9" x 9"	15" x 15"	2	6.2
HG-(RC or SQ)-580010-TL	10" x 10"	16" x 16"	2	7.2
HG-(RC or SQ)-580012-TL	12" x 12"	18" x 18"	2	8.7
HG-(RC or SQ)-580014-TL	14" x 14"	20" x 20"	2	10.4
HG-(RC or SQ)-580016-TL	16" x 16"	22" x 22"	2	12.1
HG-(RC or SQ)-580018-TL	18" x 18"	24" x 24"	2	14.0
HG-(RC or SQ)-580020-TL	20" x 20"	26" x 26"	3	16.0
HG-(RC or SQ)-580608-TL	6" x 8"	12" x 14"	2	5.2
HG-(RC or SQ)-580612-TL	6" x 12"	12" x 18"	2	6.6
HG-(RC or SQ)-580618-TL	6" x 18"	12" x 24"	2	8.8
HG-(RC or SQ)-580624-TL	6" x 24"	12" x 30"	3	10.9
HG-(RC or SQ)-580812-TL	8" x 12"	14" x 18"	2	7.3
HG-(RC or SQ)-580818-TL	8" x 18"	14" x 24"	2	9.6
HG-(RC or SQ)-580824-TL	8" x 24"	14" x 30"	3	12.0
HG-(RC or SQ)-580930-TL	9" x 30"	15" x 36"	4	14.9
HG-(RC or SQ)-581016-TL	10" x 16"	16" x 22"	2	9.7
HG-(RC or SQ)-581018-TL	10" x 18"	16" x 24"	2	10.5
HG-(RC or SQ)-581024-TL	10" x 24"	16" x 30"	3	11.0

CONCEALED HINGED with Touch Latch


Product Number	Hinged Size	Rough Opening	H*	Weight (lbs)
HG-(RC or SQ)-581036-TL	10" x 36"	16" x 42"	4	19.4
HG-(RC or SQ)-581216-TL	12" x 16"	18" x 22"	2	10.5
HG-(RC or SQ)-581218-TL	12" x 18"	18" x 24"	2	11.4
HG-(RC or SQ)-581224-TL	12" x 24"	18" x 30"	3	14.0
HG-(RC or SQ)-581230-TL	12" x 30"	18" x 36"	4	16.7
HG-(RC or SQ)-581418-TL	14" x 18"	20" x 24"	2	12.3
HG-(RC or SQ)-581424-TL	14" x 24"	20" x 30"	3	15.1
HG-(RC or SQ)-581618-TL	16" x 18"	22" x 24"	2	13.1
HG-(RC or SQ)-581624-TL	16" x 24"	22" x 30"	3	16.1
HG-(RC or SQ)-581820-TL	18" x 20"	24" x 26"	2	15.1

*H (Hinge Qty Per Panel)
Shop drawings available on website

- Volume discounts available on all sizes
- Neoprene Gasket available upon request on all models
- Custom sizes and shapes available. Please inquire.

GFRG and GFRC Seamless™ Access Panels Directory List

For any questions, please call us at 905-738-8089
email: sales@castleaccesspanels.com



POP-OUT - ROUND (RD-58xxxx)

Product Number	Pop-Out Size	Rough Opening	Weight (lbs)
RD-580004	4" diameter	10" × 10"	3.5
RD-580005	5" diameter	11" × 11"	4.0
RD-580006	6" diameter	12" × 12"	4.5
RD-580008	8" diameter	14" × 14"	5.0
RD-580009	9" diameter	15" × 15"	7.0
RD-580012	12" diameter	18" × 18"	9.0
RD-580014	14" diameter	20" × 20"	10.5
RD-580016	16" diameter	22" × 22"	12.0
RD-580018	18" diameter	24" × 24"	14.0
RD-580020	20" diameter	26" × 26"	15.0
RD-580024	24" diameter	30" × 30"	19.0
RD-580030	30" diameter	36" × 36"	26.0
RD-580032	32" diameter	38" × 38"	29.0
RD-580036	36" diameter	42" × 42"	34.0
RD-580042	42" diameter	48" × 48"	42.5
RD-580048	48" diameter	54" × 54"	52.5

ROUND

Shop drawings available on website

- Volume discounts available on all sizes
- Neoprene Gasket available upon request on all models
- Custom sizes and shapes available. Please inquire.

OPTIONS



Slotted Cam Latch

Recommended for low security access.
An easy and convenient use latch, turnable with a small coin in the slot, top facing of the body of the panel.



Keyed Cam Latch

Recommended for high security access or where locks are required for controlled access.
Keyed alike is a standard.



Neoprene Gasket available upon request on all models and sizes

CASTLE ACCESS PANELS & FORMS Inc.

135 Wendell Ave. North York, ON M9N 3K9, Canada

Phone: (+1) 905-738-8089

www.castleaccesspanels.com

Fax: (+1) 905-760-9234

email: sales@castleaccesspanels.com

Distributed by: